M-12577 US 844097 v1

We claim:

- 1. A clip to attach a towel to a golf club, the clip comprising:
 - a body with a first aperture adapted to receive a portion of a golf club and a second aperture adapted to receive a towel.
- The clip of claim 1, further comprising:
 - a fastener adapted to be inserted at least partially through the second aperture for fastening the towel to the clip.
- 3. The clip of claim 2, wherein said fastener is removably fastened.
- 4. The clip of claim 2, wherein said fastener is a rivet.
- The clip of claim 2, further comprising a towel inserted into said second aperture, said towel fastened to said clip by said fastener.
 - 6. The clip of claim 1, wherein said portion of the golf club is a shaft.
- The clip of claim 1, further comprising bendable tongs surrounding said first aperture.
- 8. The clip of claim 1, wherein the clip further comprises a magnet proximately located to said first aperture to attach said clip to a portion of the golf club.
 - 9. The clip of claim 1, wherein at least a portion of said body is made of plastic.

M-12577 US 844097 v1

 The clip of claim 1, further comprising a towel attached to said clip by a fastener inserted through said second aperture.

11. A clip to attach an item to a member, the clip comprising:

a body with a first aperture adapted to receive a portion of a member and a second aperture adapted to receive an item,

wherein said member is substantially axially symmetric and wherein said item can be supported within an approximately planar aperture.

12. The clip of claim 11, further comprising:

a fastener adapted to be inserted at least partially through said second aperture for fastening said item to the clip.

13. A clip to attach a towel to a golf club, the clip comprising:

a body with a first aperture adapted to receive a portion of a golf club and a second aperture adapted to receive a fastener situated to attach a towel to the clip.

14. A method for attaching a towel to a portion of a golf club, the method comprising:

attaching a clip body to a portion of a golf club, wherein said clip body has a first aperture adapted to receive a golf club.

- 15. The method of claim 14, wherein said portion of a golf club is a shaft.
- 16. The method of claim 14, wherein said attaching a clip body to a portion of a golf club comprises:

spreading bendable tongs surrounding said first aperture; and

inserting said golf club into the first aperture.

17. The method of claim 14, wherein said attaching a clip body to a portion of a golf club comprises:

attaching the clip to the golf club with a magnet.

18. A method of manufacturing a clip for attaching a towel to a golf club, the method comprising:

manufacturing a first aperture in a body of a clip, said first aperture fashioned to receive a portion of a golf club; and

manufacturing a second aperture in said body, said second aperture fashioned to facilitate attaching a towel to said body.

19. The method of claim 18, further comprising:

fastening a towel to said body, said towel being fastened using the second aperture.

20. The method of claim 18, wherein said fastening a towel to said clip body comprises:

inserting said fastener at least partially through said second aperture.